


NARMS – EB 2001

Veterinary Isolates


Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species



NARMS – EB 2001

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species




↓ Breakpoint

NARMS – EB 2001

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species

Ampicillin




↓ Breakpoint

NARMS – EB 2001

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species

Apramycin




↓ Breakpoint

NARMS – EB 2001

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species




↓ Breakpoint

NARMS – EB 2001

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species

Ceftiofur




↓ Breakpoint

NARMS – EB 2001

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species




↓ Breakpoint

NARMS – EB 2001

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species

Cephalothin




↓ Breakpoint

NARMS – EB 2001

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species

Chloramphenicol




↓ Breakpoint

NARMS – EB 2001

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species




↓ Breakpoint

NARMS – EB 2001

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species




↓ Breakpoint

NARMS – EB 2001

Veterinary Isolates


Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species



NARMS – EB 2001

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species




↓ Breakpoint

NARMS – EB 2001

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species




↓ Breakpoint

NARMS – EB 2001

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species




↓ Breakpoint

NARMS – EB 2001

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species




↓ Breakpoint

NARMS – EB 2001

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species




↓ Breakpoint

NARMS – EB 2001

Veterinary Isolates

Fig. 2. Minimum Inhibitory Concentrations by Antimicrobial Agent for Salmonella Isolates from Slaughter by Species



↓ Breakpoint